

DEC 09 2004

**FAX TRANSMITTAL COVER SHEET**

**CONLEY ROSE, P.C.**  
**600 Travis, Suite 7100**  
**Houston, Texas 77002**  
Fax Number: (713) 238-8008  
Telephone Number: (713) 238-8000

**ORIGINAL WILL FOLLOW VIA:**

- |                                     |                       |
|-------------------------------------|-----------------------|
| <input type="checkbox"/>            | MAIL                  |
| <input type="checkbox"/>            | INTERNATIONAL AIRMAIL |
| <input type="checkbox"/>            | COURIER               |
| <input checked="" type="checkbox"/> | WILL NOT FOLLOW       |
| <input type="checkbox"/>            | HAND DELIVERY         |
| <input type="checkbox"/>            | WITH ENCLOSURE(S)     |
| <input type="checkbox"/>            | WITHOUT ENCLOSURE(S)  |

**PLEASE DELIVER THE FOLLOWING PAGES IMMEDIATELY TO:**

**NAME: EXAMINER RACHNA SINGH, GROUP ART UNIT 2176**

**FIRM: U.S. PATENT AND TRADEMARK OFFICE**

**CITY: ALEXANDRIA, VIRGINIA**

**FAX NO: (703) 872-9306**

**REMARKS: Serial No. 09/611,920, filed 07/07/2000.**

**Attached hereto is an Appeal Brief for filing with the U.S. Patent and Trademark Office. Please acknowledge receipt of this facsimile.**

**Total Number of Pages (Including This One): THIRTY-ONE (31)**

**FROM: Mark E. Scott, Direct Dial No. (713) 238-8049**

**DATE: December 9, 2004**

**CLIENT/MATTER NO. 200301685-1 (1662-52300)**

**IF YOU DO NOT RECEIVE ALL THE PAGES,  
PLEASE CALL BACK AS SOON AS POSSIBLE.**

*This facsimile, and the information it contains, is intended to be a confidential communication only to the person or entity to whom it is addressed. If you have received this facsimile in error, please notify us by telephone at the above telephone number and return the original to this office by mail.*

HEWLETT-PACKARD COMPANY  
Intellectual Property Administration  
P. O. Box 272400  
Fort Collins, Colorado 80527-2400

DEC 09 2004

PATENT APPLICATION

ATTORNEY DOCKET NO. 200301685-1

 **ORIGINAL**

IN THE  
UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor(s): David J. LINDNER

Confirmation No.: 7765

Application No.: 09/611,920

Examiner: R. Singh

Filing Date: 07/07/2000

Group Art Unit: 2176

Title: METHOD AND APPARATUS FOR PROVIDING ENHANCED ACCESS TO A LIGHTWEIGHT  
DIRECTORY ACCESS PROTOCOL (LDAP) DIRECTORY SERVER

Mail Stop Appeal Brief-Patents  
Commissioner For Patents  
PO Box 1450  
Alexandria, VA 22313-1450

**TRANSMITTAL OF APPEAL BRIEF**

Sir:

Transmitted herewith is the Appeal Brief in this application with respect to the Notice of Appeal filed on 12/09/2004.

The fee for filing this Appeal Brief is (37 CFR 1.17(c)) \$500.00

(complete (a) or (b) as applicable)

The proceedings herein are for a patent application and the provisions of 37 CFR 1.136(a) apply.

( ) (a) Applicant petitions for an extension of time under 37 CFR 1.136 (fees: 37 CFR 1.17(a)-(d) for the total number of months checked below:

( ) one month	\$110.00
( ) two months	\$430.00
( ) three months	\$880.00
( ) four months	\$1530.00

( ) The extension fee has already been filled in this application.

(X) (b) Applicant believes that no extension of time is required. However, this conditional petition is being made to provide for the possibility that applicant has inadvertently overlooked the need for a petition and fee for extension of time.


Please charge to Deposit Account 08-2025 the sum of \$500.00. At any time during the pendency of this application, please charge any fees required or credit any over payment to Deposit Account 08-2025 pursuant to 37 CFR 1.26. Additionally please charge any fees to Deposit Account 08-2025 under 37 CFR 1.16 through 1.21 inclusive, and any other sections in Title 37 of the Code of Federal Regulations that may regulate fees. A duplicate copy of this sheet is enclosed.

( ) I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, Alexandria, VA 22313-1450. Date of Deposit: \_\_\_\_\_

OR  
(X) I hereby certify that this paper is being transmitted to the Patent and Trademark Office facsimile number (703) 872-9306 on 12/09/2004

Number of pages: 30

Typed Name: Christina L. Paz



Respectfully submitted,

David J. LINDNER

By 

Mark E. Scott

Attorney/Agent for Applicant(s)

Reg. No. 43,100

Date: 12/09/2004

DEC 09 2004

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appellant:	David J. LINDNER	§	Confirmation No.:	7765
		§		
Serial No.:	09/611,920	§	Group Art Unit:	2176
		§		
Filed:	07/07/2000	§	Examiner:	R. Singh
		§		
For:	Method And Apparatus	§	Docket No.:	200301685-1
	For Providing Enhanced	§		
	Access To A Lightweight	§		
	Directory Access Protocol	§		
	(LDAP) Directory Server	§		

**APPEAL BRIEF**

Mail Stop Appeal Brief – Patents  
Commissioner for Patents  
PO Box 1450  
Alexandria, VA 22313-1450

Date: December 9, 2004

Sir:

Appellant hereby submits this Appeal Brief in connection with the above-identified application. A Notice of Appeal is being filed concurrently herewith.

**Appl. No. 09/611,920**  
**Appeal Brief dated December 9, 2004**  
**Reply to Office action of September 10, 2004**

**TABLE OF CONTENTS**

I.	REAL PARTY IN INTEREST .....	3
II.	RELATED APPEALS AND INTERFERENCES .....	4
III.	STATUS OF THE CLAIMS .....	5
IV.	STATUS OF THE AMENDMENTS .....	6
V.	SUMMARY OF THE CLAIMED SUBJECT MATTER .....	7
VI.	GROUND OF REJECTION TO BE REVIEWED ON APPEAL.....	11
VII.	ARGUMENT .....	12
	A. Claims 1-20.....	12
	B. Claims 21, 23-27, 29-33 and 35-44.....	15
VIII.	CONCLUSION.....	19
IX.	CLAIMS APPENDIX .....	20

**Appl. No. 09/811,920**  
**Appeal Brief dated December 9, 2004**  
**Reply to Office action of September 10, 2004**

**I. REAL PARTY IN INTEREST**

The real party in interest is the Hewlett-Packard Development Company (HPDC), a Texas Limited Partnership, having its principal place of business in Houston, Texas, through its merger with Compaq Computer Corporation (CCC) that owned Compaq Information Technologies Group, L.P. (CITG). The assignment from the CCC to CITG was recorded on November 3, 2004, at Reel/Frame 015332/0477. The Change of Name document from CITG to HPDC was recorded on November 3, 2004, at Reel/Frame 015332/0427.

**Appl. No. 09/611,920**  
**Appeal Brief dated December 9, 2004**  
**Reply to Office action of September 10, 2004**

**II. RELATED APPEALS AND INTERFERENCES**

Appellant is unaware of any related appeals or interferences.

**Appl. No. 09/611,920**  
**Appeal Brief dated December 9, 2004**  
**Reply to Office action of September 10, 2004**

**III. STATUS OF THE CLAIMS**

Originally filed claims: 1-20.  
Added claims: 21-44.  
Cancelled claims: 22, 28 and 34  
Presently pending claims: 1-21, 23-27, 29-33 and 35-44  
Presently appealed claims: 1-21, 23-27, 29-33 and 35-44

**Appl. No. 09/611,920**  
**Appeal Brief dated December 9, 2004**  
**Reply to Office action of September 10, 2004**

**IV. STATUS OF THE AMENDMENTS**

Appellant filed a Response to the Office action dated September 10, 2004, the Response filed December 7, 2004, which amended the specification, amended claims 21, 27, 33 and 39, and cancelled claims 22, 28 and 34. The claims as amended are reflected in the attached Claims Appendix.



Appl. No. 09/611,920  
Appeal Brief dated December 9, 2004  
Reply to Office action of September 10, 2004

## V. SUMMARY OF THE CLAIMED SUBJECT MATTER

The Specification is directed to a method and apparatus for providing enhanced access to a directory server.<sup>1</sup> Some of the illustrative embodiments are a method for accessing a directory server, the method comprising simultaneously maintaining a first plurality of connections between the directory server and a caching daemon,<sup>2</sup> determining if an application is requesting information from the directory server,<sup>3</sup> determining if the requested information is stored in the caching daemon in response to determining that the application has requested information,<sup>4</sup> and sending the requested information to the application.<sup>5</sup>

Other illustrative embodiments are apparatus comprising a directory server for storing information,<sup>6</sup> and a caching daemon maintaining a plurality of connections to the directory server.<sup>7</sup> The caching daemon is configured to determine if an application is requesting information from the directory server,<sup>8</sup> determine if the requested information is stored within the caching daemon,<sup>9</sup> and send the requested information to the application.<sup>10</sup>

Other illustrative embodiments, *claimed in a means-plus-function format*, are an apparatus for accessing a directory server comprising a means for establishing a first plurality of simultaneously running connections<sup>11</sup> between the directory server and a caching daemon, means for determining if an application is requesting information from the directory server,<sup>12</sup> means for determining if the

<sup>1</sup> Specification Title (as amended August 10, 2004).

<sup>2</sup> Specification Page 8, lines 4-7; Page 9, lines 1-5; Page 11, lines 11-13.

<sup>3</sup> Specification Page 11, lines 15-16.

<sup>4</sup> Specification Page 11, lines 16-20.

<sup>5</sup> Specification Page 11, lines 22-23; Page 12, lines 6-8.

<sup>6</sup> Specification Page 7, lines 12-21.

<sup>7</sup> Specification Page 8, lines 2-7.

<sup>8</sup> Specification Page 10, lines 7-10.

<sup>9</sup> *Id.*

<sup>10</sup> Specification Page 10, lines 10-12, lines 18-19.

<sup>11</sup> Specification Page 8, lines 2-7; Page 9, lines 1-5.

<sup>12</sup> Specification Page 10, lines 7-10.

**Appl. No. 09/611,920**  
**Appeal Brief dated December 9, 2004**  
**Reply to Office action of September 10, 2004**

requested information is stored in the caching daemon in response to determining that the application has requested information,<sup>13</sup> and means for sending the requested information to the application.<sup>14</sup>

Other illustrative embodiments are a caching daemon comprising a data cache adapted to store a subset of information from a directory server,<sup>15</sup> and a controller.<sup>16</sup> The controller is adapted to establish and maintain a first plurality of connections to the directory server,<sup>17</sup> determine if an application is requesting information from the directory server,<sup>18</sup> determine if the requested information is stored in the data cache,<sup>19</sup> and send the requested information to the application.<sup>20</sup>

Other illustrative embodiments are a method for accessing a directory server comprising simultaneously maintaining a plurality of connections between the directory server and a lightweight directory access protocol ("LDAP") caching daemon,<sup>21</sup> determining if an application is requesting information from the directory server,<sup>22</sup> determining if the requested information is stored in the LDAP caching daemon in response to determining that the application has requested information,<sup>23</sup> and sending the requested information to the application.<sup>24</sup>

Other illustrative embodiments are an apparatus comprising a directory server for storing information,<sup>25</sup> and a lightweight directory access protocol

---

<sup>13</sup> *Id.*

<sup>14</sup> Specification Page 10, lines 10-12, lines 18-19.

<sup>15</sup> Specification Page 10, lines 5-7.

<sup>16</sup> Specification Page 10, lines 7-10.

<sup>17</sup> Specification Page 8, lines 4-7; Page 9, lines 1-5; Page 11, lines 11-13.

<sup>18</sup> Specification Page 10, lines 7-10.

<sup>19</sup> *Id.*

<sup>20</sup> Specification Page 10, lines 10-19.

<sup>21</sup> Specification Page 8, lines 4-7; Page 9, lines 1-5; Page 11, lines 11-13.

<sup>22</sup> Specification Page 11, lines 15-16.

<sup>23</sup> Specification Page 11, lines 16-20.

<sup>24</sup> Specification Page 11, lines 22-23; Page 12, lines 6-8.

<sup>25</sup> Specification Page 7, lines 12-21.

**Appl. No. 09/611,920**  
**Appeal Brief dated December 9, 2004**  
**Reply to Office action of September 10, 2004**

("LDAP") caching daemon.<sup>26</sup> The LDAP caching daemon is configured to maintain a plurality of connections to the directory server,<sup>27</sup> determine if an application is requesting information from the directory server,<sup>28</sup> determine if the requested information is stored within the LDAP caching daemon,<sup>29</sup> and send the requested information to the application.<sup>30</sup>

Other illustrative embodiments are a lightweight directory access protocol ("LDAP") caching daemon comprising a data cache that stores a subset of information from a directory server,<sup>31</sup> and a controller configured to establish and maintain a first plurality of connections to the directory server,<sup>32</sup> determine if an application is requesting information from the directory server,<sup>33</sup> determine if the requested information is stored in the data cache,<sup>34</sup> and send the requested information to the application.<sup>35</sup>

Other illustrative embodiments are a method for accessing a directory server comprising continuously maintaining a plurality of connections between the directory server and a lightweight directory access protocol caching ("LDAP") caching daemon,<sup>36</sup> receiving from an application a request for information from the directory server,<sup>37</sup> using a connection of the plurality of connections to retrieve

---

<sup>26</sup> Specification Page 8, lines 2-7.

<sup>27</sup> Specification Page 8, lines 4-7; Page 9, lines 1-5; Page 11, lines 11-13.

<sup>28</sup> Specification Page 10, lines 7-10.

<sup>29</sup> *Id.*

<sup>30</sup> Specification Page 10, lines 10-12, lines 18-19.

<sup>31</sup> Specification Page 10, lines 5-7.

<sup>32</sup> Specification Page 8, lines 4-7; Page 9, lines 1-5; Page 11, lines 11-13.

<sup>33</sup> Specification Page 10, lines 7-10.

<sup>34</sup> *Id.*

<sup>35</sup> Specification Page 10, lines 10-19.

<sup>36</sup> Specification Page 8, lines 4-7; Page 9, lines 1-5; Page 11, lines 11-13.

<sup>37</sup> Specification Page 11, lines 15-16.

**Appl. No. 09/611,920**  
**Appeal Brief dated December 9, 2004**  
**Reply to Office action of September 10, 2004**

the requested information from the directory server,<sup>38</sup> and sending the requested information to the application.<sup>39</sup>

Finally, other illustrative embodiments are a lightweight directory access protocol ("LDAP") caching daemon comprising a data cache that stores a subset of information from a directory server,<sup>40</sup> and a controller configured to establish and maintain a plurality of connections to a directory server,<sup>41</sup> receive from an application a request for information from the directory server,<sup>42</sup> use a connection of the plurality of connections to retrieve the requested information from the directory server,<sup>43</sup> and send the requested information to the application.<sup>44</sup>

---

<sup>38</sup> Specification Page 10, lines 14-16.

<sup>39</sup> Specification Page 11, lines 22-23; Page 12, lines 6-8.

<sup>40</sup> Specification Page 10, lines 5-7.

<sup>41</sup> Specification Page 8, lines 4-7; Page 9, lines 1-5; Page 11, lines 11-13.

<sup>42</sup> Specification Page 10, lines 7-10.

<sup>43</sup> Specification Page 10, lines 14-16.

<sup>44</sup> Specification Page 10, lines 10-19.

**Appl. No. 09/811,920**  
**Appeal Brief dated December 9, 2004**  
**Reply to Office action of September 10, 2004**

**VI. GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL**

Whether claims 1-44 are unpatentable over an article title "Using LDAP Directory Caches," authored by Sophie Cluet, Olga Kapitakaia, and Divesh Srivastava (hereinafter the Cluet article), in view of Luotonen (U.S. Pat. No. 5,864,852).


**Appl. No. 09/611,920**  
**Appeal Brief dated December 9, 2004**  
**Reply to Office action of September 10, 2004**

## **VII. ARGUMENT**

### **A. Claims 1-20**

Claims 1-20 stand rejected as allegedly obvious over the Cluet article in view of Luotonen. Claim 1 is representative of this group of claims. This grouping is for purposes of this appeal only, and should not be construed to mean the patentability of any of the claims may be determined, in later actions before a court, based on the grouping. Rather, the presumption of 35 U.S.C. § 282 shall apply to each claim individually.

Appellant's Background section and corresponding related-art Figure 1 (reproduced immediately below) note a difficulty in the related art.



With regard to Figure 1, Appellant's Background section states:

Turning now to the drawings, and specifically referring to Figure 1, a system 100 for providing LDAP directory server access to a plurality of client server applications is shown in accordance with the prior art. Typically, when a client server application 120 desires to access data from a directory server 110, the application 120 establishes a direct connection 125 to the directory server 110 through a binding operation. ... Upon successfully establishing the connection 125 with the directory server 110, the application 120 then retrieves the desired data from the directory server 110 by performing a search operation. After retrieving this desired data, the client server application 120 may then perform an unbind operation to terminate

**Appl. No. 09/611,920**  
**Appeal Brief dated December 9, 2004**  
**Reply to Office action of September 10, 2004**

the protocol session between the client server application 120 and the directory server 110. ...<sup>45</sup>

A drawback currently encountered in LDAP, however, is that it requires each client to bind directly to the directory server 110 before being able to perform a request for information from the LDAP directory. ... As a result of this additional load, the directory server 110 suffers substantial degradation in performance for data retrieval.<sup>46</sup>

The authors of the Cluet article are apparently cognizant of the degradation in performance associated with repeated binding/unbinding, and thus the Cluet article is directed to using LDAP directory caches.<sup>47</sup> However, the caching described in the Cluet article is performed by a client machine, and is apparently to reduce client server communications.

There has been much recent interest in the area of **client caching** to efficiently handle declarative queries using semantic information. The reasons for using the semantic information include better use of the client cache, more autonomy of the client, and reduced client server communication.<sup>48</sup>

The Cluet article's "client" machines appear to coincide with client server applications 120 of Appellant's Figure 1 above. The Cluet article is silent as to the number of connections, and how long they are maintained, as between a caching client machine and the server.

Luotonen is directed to a proxy server caching mechanism that provides a file directory structure and mapping mechanism within the file directory structure.<sup>49</sup> With regard to the connections between the proxy server and remote server, however, Luotonen specifically teaches that these connections are only temporarily maintained to perform up-to-date checks.

---

<sup>45</sup> Specification Page 3, line 15 through Page 4, line 7.

<sup>46</sup> Specification page 4, lines 9-15.

<sup>47</sup> Cluet article Title.

<sup>48</sup> Cluet article, page 273 (emphasis added).

<sup>49</sup> Luotonen Title.

**Appl. No. 09/611,920  
Appeal Brief dated December 9, 2004  
Reply to Office action of September 10, 2004**

**When it is desired to perform up-to-date checks, the proxy server connects to the remote server and requests that the document in question be sent, but only if the document has been modified since the most recently logged modification date/time.<sup>60</sup>**

Illustrative claim 1, by contrast, specifically recites, **"simultaneously maintaining a first plurality of connections between the directory server and a caching daemon; determining if an application is requesting information from the directory server; determining if the requested information is stored in the caching daemon in response to determining that the application has requested information; and sending the requested information to the application."** The Cluet article and Luotonen fail to teach or fairly suggest "simultaneously maintaining a first plurality of connections between the directory server and a caching daemon." The Office action dated September 10, 2004 states, "It is evident from Cluet's disclosure that he teaches maintaining a connection between the directory server and the caching daemon." This position does not follow from the teaching of the Cluet article. The Cluet article specifically teaches reducing client server communications.<sup>51</sup> It is wholly inconsistent to allege a teaching of the Cluet article to, on the one hand, perform client caching to reduce client server communications (which reduces need for the connections), and yet on the other hand to allege that the Cluet article teaches maintaining those same connections. Appellant submits that in actuality the Cluet article teaches away from simultaneously maintaining a plurality of connections based on the teachings of reducing client server communications. If the teachings of reducing communications are discounted by the Board, then the Cluet article is at best wholly ambiguous as to the state of the connections so as not to support the position of the Office action.

As quoted above, Luotonen expressly teaches away from maintaining the connections. The Office action attempts to rely on Luotonen's Figure 1 for an

---

<sup>60</sup> Luotonen Col. 6, line 66 through Col. 7, line 4 (emphasis added).

<sup>51</sup> Cluet article, page 273.



**Appl. No. 09/611,920**  
**Appeal Brief dated December 9, 2004**  
**Reply to Office action of September 10, 2004**

alleged teaching of maintaining the connections,<sup>52</sup> but the figure does not support the position of the Office action, especially since the line of the figure relied upon is dashed.<sup>53</sup> Likewise, with the teachings regarding a "proxy server cache structure that stores and accesses documents in an optimal manner...",<sup>54</sup> and "the ability to locate documents in a cache without latency induced by long path names,"<sup>55</sup> it does not follow from these features that a plurality of connections should be maintained. Unlike the position of the Office action, however, Appellant's position that Luotonen teaches away simultaneously maintaining connections is support by the text of Luotonen.<sup>56</sup> Thus, the Cluet article taken with Luotonen does not teach or fairly suggest all the limitations of illustrative claim 1.

Based on the foregoing, Appellant respectfully requests that the rejections in the Office action of this group of claims be reversed, and the case set for issue.

**B. Claims 21, 23-27, 29-33 and 35-44**

Claims 21, 23-27, 29-33 and 35-44 stand rejected as allegedly obvious over the Cluet article in view of Luotonen. Claim 21 is representative of this group of claims. This grouping is for purposes of this appeal only, and should not be construed to mean the patentability of any of the claims may be determined, in later actions before a court, based on the grouping. Rather, the presumption of 35 U.S.C. § 282 shall apply to each claim individually.

The Cluet article is directed to using LDAP directory caches.<sup>57</sup> However, the caching described in the Cluet article is performed by a client machine, and is to reduce client server communications.<sup>58</sup> The Cluet article's "client" machines

---

<sup>52</sup> Office action dated September 10, 2004, paragraph spanning pages 10 and 11.

<sup>53</sup> Luotonen's Figure 1 (dashed line between the proxy server 14 and the remote server 16, and note how the lines between the client 12 and proxy server 14 are not dashed).

<sup>54</sup> Office action dated September 10, 2004, paragraph spanning pages 10 and 11.

<sup>55</sup> *Id.* (emphasis added).

<sup>56</sup> Luotonen Col. 6, line 66 through Col. 7, line 4.

<sup>57</sup> Cluet Article Title.

<sup>58</sup> Cluet article, page 273.

**Appl. No. 09/811,920**  
**Appeal Brief dated December 9, 2004**  
**Reply to Office action of September 10, 2004**

appear to coincide with client server applications 120 of Appellant's Figure 1 above. The Cluet article is silent as to the number of connections, and how long they are maintained, as between a caching client machine and the server.

Luotonen is directed to a proxy server caching mechanism that provides a file directory structure and mapping mechanism within the file directory structure.<sup>59</sup> The apparent advantage of Luotonen is that each long URL is converted to a fingerprint used to map the URL in the proxy server.<sup>60</sup> Luotonen does not appear to teach any interchangeability between the URL fingerprinting and LDAP hierarchical tree structure.<sup>61</sup> As for connections between the proxy server and remote server, Luotonen specifically teaches that these connections are only temporarily maintained to perform up-to-date checks.<sup>62</sup>

Illustrative claim 21, by contrast, specifically recites, "**simultaneously maintaining a plurality of connections between the directory server and a lightweight directory access protocol ("LDAP") caching daemon; determining if an application is requesting information from the directory server; determining if the requested information is stored in the LDAP caching daemon in response to determining that the application has requested information; and sending the requested information to the application.**" The Cluet article and Luotonen fail to teach or fairly suggest "simultaneously maintaining a plurality of connections," and also fail to teach or fairly suggest a "lightweight directory access protocol ("LDAP") caching daemon."

As for "simultaneously maintaining a plurality of connections," the Office action dated September 10, 2004 states, "It is evident from Cluet's disclosure that he teaches maintaining a connection between the directory server and the caching daemon." This position does not follow from the teaching of the Cluet article. The Cluet article specifically teaches reducing client server

---

<sup>59</sup> Luotonen Title.

<sup>60</sup> Luotonen Abstract.

<sup>61</sup> With regard to the LDAP hierarchical tree structure, see Specification Page 3, lines 1-13.

<sup>62</sup> Luotonen Col. 6, line 66 through Col. 7, line 4.

**Appl. No. 09/611,920**  
**Appeal Brief dated December 9, 2004**  
**Reply to Office action of September 10, 2004**

communications.<sup>63</sup> It is wholly inconsistent to allege a teaching of the Cluet article to, on the one hand, perform client caching to reduce client server communications (which reduces need for the connections), and yet on the other hand to allege that the Cluet article teaches maintaining those same connections. Appellant submits that in actuality the Cluet article teaches away from simultaneously maintaining a plurality of connections based on the teachings of reducing client server communications. If the teachings of reducing communications are discounted by the Board, then the Cluet article is at best wholly ambiguous as to the state of the connections so as not to support the position of the Office action.

As quoted above, Luotonen expressly teaches away from maintaining the connections. The Office action attempts to rely on Duotone's Figure 1 for an alleged teaching of maintaining the connections,<sup>64</sup> but figure does not support the position.<sup>65</sup> Likewise, with the teachings regarding a "proxy server cache structure that stores and accesses documents in an optimal manner...",<sup>66</sup> and "the ability to locate documents in a cache without latency induced by long path names,"<sup>67</sup> it does not follow from these features that a plurality of connections should be maintained. Unlike the position of the Office action, however, Appellant's position that Luotonen teaches away from simultaneously maintaining a plurality of connections is support by the text of Luotonen.<sup>68</sup> For this reason alone the rejection of the Office action should be overturned.

As for a "lightweight directory access protocol ("LDAP") caching daemon," the Cluet article teaches **caching on the client machine**.<sup>69</sup> Luotonen teaches a

---

<sup>63</sup> Cluet article, page 273.

<sup>64</sup> Office action dated September 10, 2004, paragraph spanning pages 10 and 11.

<sup>65</sup> Luotonen's Figure 1 (dashed line between the proxy server 14 and the remote server 16, and note how the lines between the client 12 and proxy server 14 are not dashed).

<sup>66</sup> Office action dated September 10, 2004, paragraph spanning pages 10 and 11.

<sup>67</sup> *Id.* (emphasis added).

<sup>68</sup> Luotonen Col. 6, line 66 through Col. 7, line 4.

<sup>69</sup> Cluet article, page 273.

**Appl. No. 09/611,920**  
**Appeal Brief dated December 9, 2004**  
**Reply to Office action of September 10, 2004**

**proxy server for URLs.<sup>70</sup>** Even if the Cluet article and Luotonen are properly considered together (which Appellant does not admit), the Cluet article and Luotonen fail to teach or suggest that the URL proxy server could or should be used as an LDAP caching daemon, that LDAP caching should be anywhere other than the client machine, or that an LDAP caching daemon should "simultaneously maintaining a plurality of connections between the directory server and" the LDAP caching daemon. For these additional reasons, the rejection of the Office actin should be overturned.

Based on the foregoing, Appellant respectfully requests that the rejections in the Office action of this group of claims be reversed, and the case set for issue.

---


<sup>70</sup> Luotonen Title.

**Appl. No. 09/611,920**  
**Appeal Brief dated December 9, 2004**  
**Reply to Office action of September 10, 2004**

### **VIII. CONCLUSION**

For the reasons stated above, Appellant respectfully submits that the Examiner erred in rejecting all pending claims. It is believed that no extensions of time or fees are required, beyond those that may otherwise be provided for in documents accompanying this paper. However, in the event that additional extensions of time are necessary to allow consideration of this paper, such extensions are hereby petitioned under 37 C.F.R. § 1.136(a), and any fees required (including fees for net addition of claims) are hereby authorized to be charged to Hewlett-Packard Development Company's Deposit Account No. 08-2025.

Respectfully submitted,



Mark E. Scott  
PTO Reg. No. 43,100  
CONLEY ROSE, P.C.  
(713) 238-8000 (Phone)  
(713) 238-8008 (Fax)  
ATTORNEY FOR APPELLANT

HEWLETT-PACKARD COMPANY  
Intellectual Property Administration  
Legal Dept., M/S 35  
P.O. Box 272400  
Fort Collins, CO 80527-2400

Appl. No. 09/611,920  
Appeal Brief dated December 9, 2004  
Reply to Office action of September 10, 2004

RECEIVED  
CENTRAL FAX CENTER  
DEC 09 2004

**IX. CLAIMS APPENDIX**

1. (Previously presented) A method for accessing a directory server, the method comprising:

simultaneously maintaining a first plurality of connections between the directory server and a caching daemon;  
determining if an application is requesting information from the directory server;  
determining if the requested information is stored in the caching daemon in response to determining that the application has requested information; and  
sending the requested information to the application.

2. (Original) The method of claim 1, wherein determining if an application is requesting information from the directory server further comprises:

establishing a second connection between the application and the caching daemon; and  
receiving a request for information from the application over the second connection at the caching daemon.

3. (Original) The method of claim 1, further comprising:

retrieving the requested information from the caching daemon in response to determining that the caching daemon has the information stored therein.

4. (Original) The method of claim 1, further comprising:

retrieving the requested information from the directory server in response to determining that the caching daemon has not previously stored the information.

**Appl. No. 09/611,920**  
**Appeal Brief dated December 9, 2004**  
**Reply to Office action of September 10, 2004**

5. (Original) The method of claim 4, further comprising:  
storing the information retrieved from the directory server at the caching daemon.
6. (Previously presented) An apparatus, comprising:  
a directory server for storing information; and  
a caching daemon maintaining a plurality of connections to the directory server, the caching daemon configured to determine if an application is requesting information from the directory server, determine if the requested information is stored within the caching daemon; and send the requested information to the application.
7. (Original) The apparatus of claim 6, wherein the caching daemon is further adapted to establish a second connection with the application and receive a request for information from the application over the second connection.
8. (Original) The apparatus of claim 6, wherein the caching daemon comprises:  
a data cache adapted to store a subset of the information stored in the directory server; and  
wherein the caching daemon is further adapted to retrieve the requested information from the data cache in response to determining that the requested information is part of the subset of information stored therein.
9. (Original) The apparatus of claim 6, wherein the caching daemon is further adapted to retrieve the requested information from the directory server in response to determining that the requested information is not stored within the data cache.

**Appl. No. 09/611,920**  
**Appeal Brief dated December 9, 2004**  
**Reply to Office action of September 10, 2004**

10. (Original) The apparatus of claim 9, wherein the caching daemon is further adapted to store the requested information retrieved from the directory server in the data cache.

11. (Original) An apparatus for accessing a directory server, the apparatus comprising:

- means for establishing a first plurality of simultaneously running connections between the directory server and a caching daemon;
- means for determining if an application is requesting information from the directory server;
- means for determining if the requested information is stored in the caching daemon in response to determining that the application has requested information; and
- means for sending the requested information to the application.

12. (Original) The method of claim 11, wherein the means for determining if an application is requesting information from the directory server further comprises:

- means for establishing a second connection between the application and the caching daemon; and
- means for receiving a request for information from the application over the second connection at the caching daemon.

13. (Original) The method of claim 11, further comprising:

- means for retrieving the requested information from the caching daemon in response to determining that the caching daemon has the information stored therein.



**Appl. No. 09/611,920**  
**Appeal Brief dated December 9, 2004**  
**Reply to Office action of September 10, 2004**

14. (Original) The method of claim 11, further comprising:  
means for retrieving the requested information from the directory server in response to determining that the caching daemon has not previously stored the information.
15. (Original) The method of claim 14, further comprising:  
means for storing the information retrieved from the directory server at the caching daemon.
16. (Previously presented) A caching daemon, comprising:  
a data cache adapted to store a subset of information from a directory server; and  
a controller adapted to establish and maintain a first plurality of connections to the directory server, determine if an application is requesting information from the directory server, determining if the requested information is stored in the data cache, and send the requested information to the application.
17. (Original) The caching daemon of claim 16, wherein the controller is further adapted to establish a second connection to the application and receive a request for information from the application over the second connection.
18. (Original) The caching daemon of claim 16, wherein the controller is further adapted to retrieve the requested information from the data cache in response to determining that the data cache has the information stored therein.
19. (Original) The caching daemon of claim 16, wherein the controller is further adapted to retrieve the requested information from the directory server in response to determining that the data cache does not have the information stored therein.

**Appl. No. 09/611,920**  
**Appeal Brief dated December 9, 2004**  
**Reply to Office action of September 10, 2004**

20. (Original) The caching daemon of claim 19, wherein the controller is further adapted to store the information retrieved from the directory server at the data cache.

21. (Previously presented) A method for accessing a directory server, the method comprising:

- simultaneously maintaining a plurality of connections between the directory server and a lightweight directory access protocol ("LDAP") caching daemon;
- determining if an application is requesting information from the directory server;
- determining if the requested information is stored in the LDAP caching daemon in response to determining that the application has requested information; and
- sending the requested information to the application.

22. (Cancelled).

23. (Previously presented) The method of claim 21, wherein determining if an application is requesting information from the directory server further comprises:

- establishing a connection between the application and the LDAP caching daemon; and
- receiving a request for information from the application over the connection at the LDAP caching daemon.

24. (Previously presented) The method of claim 21, further comprising:  
retrieving the requested information from the LDAP caching daemon in response to determining that the LDAP caching daemon has the information stored therein.

**Appl. No. 09/611,920**  
**Appeal Brief dated December 9, 2004**  
**Reply to Office action of September 10, 2004**

25. (Previously presented) The method of claim 21, further comprising:  
retrieving the requested information from the directory server in response  
to determining that the LDAP caching daemon has not previously  
stored the information.
26. (Previously presented) The method of claim 25, further comprising:  
storing the information retrieved from the directory server at the LDAP  
caching daemon.
27. (Previously presented) An apparatus, comprising:  
a directory server for storing information; and  
a lightweight directory access protocol ("LDAP") caching daemon, the  
LDAP caching daemon configured to maintain a plurality of  
connections to the directory server, determine if an application is  
requesting information from the directory server, determine if the  
requested information is stored within the LDAP caching daemon;  
and send the requested information to the application.
28. (Cancelled).
29. (Previously presented) The apparatus of claim 27, wherein the LDAP  
caching daemon is further configured to establish a connection with the  
application and receive a request for information from the application over the  
connection.
30. (Previously presented) The apparatus of claim 27, wherein the LDAP  
caching daemon comprises:  
a data cache adapted to store a subset of the information stored in the  
directory server; and  
wherein the LDAP caching daemon is further configured to retrieve the  
requested information from the data cache in response to

**Appl. No. 09/611,920**  
**Appeal Brief dated December 9, 2004**  
**Reply to Office action of September 10, 2004**

determining that the requested information is part of the subset of information stored therein.

31. (Previously presented) The apparatus of claim 27, wherein the LDAP caching daemon is further configured to retrieve the requested information from the directory server in response to determining that the requested information is not stored within the data cache.

32. (Previously presented) The apparatus of claim 31, wherein the LDAP caching daemon is further configured to store the requested information retrieved from the directory server in the data cache.

33. (Previously presented) A lightweight directory access protocol ("LDAP") caching daemon, comprising:

- a data cache that stores a subset of information from a directory server;
- and

- a controller configured to establish and maintain a first plurality of connections to the directory server, determine if an application is requesting information from the directory server, determine if the requested information is stored in the data cache, and send the requested information to the application.

34. (Cancelled).

35. (Previously presented) The LDAP caching daemon of claim 33, wherein the controller is further configured to establish a connection to the application and receive a request for information from the application over the connection.

36. (Previously presented) The LDAP caching daemon of claim 33, wherein the controller is further configured to retrieve the requested information from the data cache if the data cache has the information stored therein.

**Appl. No. 09/811,920**  
**Appeal Brief dated December 9, 2004**  
**Reply to Office action of September 10, 2004**

37. (Previously presented) The LDAP caching daemon of claim 33, wherein the controller is further configured to retrieve the requested information from the directory server if the data cache does not have the information stored therein.

38. (Previously presented) The LDAP caching daemon of claim 37, wherein the controller is further configured to store the information retrieved from the directory server at the data cache.

39. (Previously presented) A method for accessing a directory server, the method comprising:

continuously maintaining a plurality of connections between the directory server and a lightweight directory access protocol caching ("LDAP") caching daemon;

receiving from an application a request for information from the directory server;

using a connection of the plurality of connections to retrieve the requested information from the directory server; and

sending the requested information to the application.

40. (Previously presented) The method of claim 39, further comprising:  
retrieving the requested information from the LDAP caching daemon if the requested information is stored in the LDAP caching daemon, and  
wherein using a connection further comprises using the connection if the requested information is not stored in the LDAP caching daemon.

41. (Previously presented) The method of claim 39, further comprising:  
storing the information retrieved from the directory server at the LDAP caching daemon.

42. (Previously presented) A lightweight directory access protocol ("LDAP") caching daemon, comprising:

**Appl. No. 09/611,920**  
**Appeal Brief dated December 9, 2004**  
**Reply to Office action of September 10, 2004**

a data cache that stores a subset of information from a directory server;  
and

a controller configured to establish and maintain a plurality of connections to a directory server, receive from an application a request for information from the directory server, use a connection of the plurality of connections to retrieve the requested information from the directory server, and send the requested information to the application.

43. (Previously presented) The LDAP caching daemon of claim 42, wherein the controller is further configured to retrieve the requested information from the data cache if the requested information is stored in the data cache, and to use the connection if the requested information is not stored in the data cache.

44. (Previously presented) The LDAP caching daemon of claim 42, wherein the controller is further configured to store the information retrieved from the directory server at the LDAP caching daemon.